

CompTIA 220-1001

QUESTIONS AND ANSWERS

FREE VERSION

(LIMITED CONTENT)

Thank you for downloading our reliable exam questions for more exams you can visit: <u>https://www.pass4it.com/all-vendors</u> Dumps Questions 220-1001

Exam Name: CompTIA A+ Certification Exam: Core 1

Certification Provider: CompTIA

Exam: CompTIA A+ Certification Exam: Core 1

- Single Topic

Question #1

SIMULATION -

Laura, a customer, has instructed you to configure her home office wireless access point. She plans to use the wireless network for finances and has requested that the network be setup with the highest encryption possible.

Additionally, Laura knows that her neighbors have wireless networks and wants to ensure that her network is not being interfered with by the other networks.

She requests that the default settings be changed to the following.

Wireless Name: HomeWiFi -

Shared Key: CompTIA -

Router Password: Secure\$1 -

Finally, Laura wants to ensure that only her laptop and Smartphone can connect to the network. Laptop: IP Address 192.168.1.100 Hardware Address: 00:0A:BF:03:C4:54 Smartphone: IP Address 192.168.1.101 Hardware Address: 09:2C:D0:22:3F:11

INSTRUCTIONS -

Configure Laura's wireless network using the network adapter window.

If at any time you would like to bring back the initial state of the situation, please click the Reset All button.

Laura's Wireless Configuration			
	WORK FILTER	ADMINISTRATOR TOOLS	
Wireless Network Settings		194	
Enable Wireless:	2		
Wireless Network Name:	HomeWiFi	(Also called the SSID)	
Wireless Channel:	1	•	
Disable SSID Broadcast			
802.11g Only Mode:	•		
Wireless Security Mode			
Security Mode:	Enable WPA2 v	Wireless Security (enhanced)	
WPA2			
Passphrase	CompTIA		
Confirmed Passphrase:	CompTIA		
	2 Laura's Wireless	ess Configuration	
Laura's House		same password into both boxes for confirmation.	
	Password:		
Wireless Network Name: Defa	Verify Passwor	rd:	
Security Mode Open Wireless Channel 11	Street and a second s		
-			
Wireless Network Name: MyW Security Mode WEF			
Wireless Network Name Pats			
Wireless Network Name Security Mode Wireless Channet	WiFi		

Laura's Wireless Config	uration	
	WORK FILTER	ADMINISTRATOR TOOLS
Wireless Network Settings		
Enable Wireless:	•	
Wireless Network Name:	default	(Also called the SSID)
Wireless Channel	6	
Disable SSID Broadcast;	0	
802.11g Only Mode:	0	
Wireless Security Mode		
Security Mode	Disable Wireles	s Security (not recommended)
Laura's Wireless Config	uration	
WIRELESS SETUP	TWORK FILTER	ADMINISTRATOR TOOLS
Turn MAC Filtering ON:		
Allow the following MAC	Addresses	
0		
0		
0		
6		

	reless Configura	tion
Wireless Setup	Network Filter	Administrator Tools
WIREL	ESS NETWORK SE	ETTINGS:
Enable Wireless: Wireless Network Name: Wireless Channel: Disable SSID Broadcast: 802.11g Only Mode:	HomeWiFi	(Also called the SSID)
WIRE	LESS SECURITY N	NODE:
Security Mode: Enat	le WPA2 Wireless	Security (enhanced) 👻
	WPA2:	
Passphrase: Confirmed Passphrase:		
comment scopinger.	(Lecture) (
		Save Settings
		(and the set

Correct Answer: See the explanation below

	Wireless Configura	ation
Wireless Setup	Network Filter	Administrator Tools
🔽 Turn MAG	C Filtering ON	
Allow the fol	owing MAC Addresse	es 🔹
	MAC Address	
✓ 00:0A:BF:03:C	4:54	1
✓ 09:2C:D0:22:3	F:11	
		Save Settings
		Save Settings

Wireless Configuration		X	
Wireless Setup	Network Filter	Administrator Tools	
۵	DMIN PASSWORD		
Please enter the same	e password into both	boxes for confirmation.	
Password:	Secure\$1		
Verify Password:	Secure\$1		
		Save Settings)

Question #2

DRAG DROP -

Drag each mobile technology to the description of its use. Some answers will not be used.

Select and Place:

Description

Devices use haptic confirmation for sharing data wirelessly.

Devices are paired using a code for sharing data wirelessly.

Devices are placed in close proximity within line of sight for sharing data wirelessly.


Devices are connected via a wire for sharing data or connectivity.

NFC	
Hotspot	
IR	
Tethering	
Bluetooth	
Cellular	
Lightning	

Wireless technology

Correct

Answer:



DRAG DROP -

A customer, Ann, has requested two custom PCs, one to be used for gaming and the other to be used as a virtualization workstation for her business.

The gaming PC should support the latest games and gaming peripherals.

The virtualization workstation should be able to host several production virtual machines as part of Ann's home business.

INSTRUCTIONS -

Use the tabs at the top to switch between the PCs.

Objects should be placed on the appropriate slot/display areas and can only be used once. All slot/display areas should be filled.

If at any time you would like to bring back the initial state of the simulation, please click the Reset All button.

Select and Place:



Correct

Answer:



Question #4

SIMULATION -

The network administrator has changed the IP address of ComputerA from 192.168.1.20 to 10.10.10.20 and now jane, a user, is unable to connect to file shares on ComputerA from ComputerB using the computer name.

INSTRUCTIONS -

Using the available tools, resolve the connectivity issues.

After troubleshooting the issue, verify a successful connection.

If at any time you would like to bring back the initial state of the simulation? please click the Reset All button.

```
---- Welcome to Computer A -----
```

c: > |

```
Reply from 10.10.10.10.30: bytes=32 time=13ms FTL=52
Reply from 10.10.10.10.30: bytes=32 time=13ms FTL=52
Ping statistics for 10.10.10.10:
   Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
   Minimum = 13ms, Maximum = 13ms, Average = 13ms
c:\> ?
c:\> help
    ipconfig
    nslookup
    ping
    tracert
    help
c:\> nslookup
     Invalid input detected, query help for valid commands.
c:\> nslookup
c:\> help
    ipconfig
    nslookup
    ping
    tracert
    help
c:\>
```

```
---- Welcome to Computer B -----
c:\>
```

```
c:\> ipconfig
Windows IP Configuration
Ethernet adapter Ethernet:
  Connection-specific DNS Suffix . . . . : local.net
  c:\> ping 10.10.10.20
Pinging 10.10.10.20 with 32 bytes of data:
Reply from 10.10.10.20: bytes=32 time=13ms TTL=52
Ping statistics for 10.10.10.20:
  Packets: Sent = 4, Received = 4, Loat = 0 (0% loss),
Approximate round trip times in milli-seconds:
  Minimum = 13ms, Maximum = 13ms, Average = 13ms
c:\> nslookup
c:\>
computerB
```

Correct Answer: See the explanation below

We need to flush the DNS to have the new IP address assigned to the same computer name. Use the ipconfig/flushdns command.

Question #5

A technician is troubleshooting what appears to be a RAM issue on a PC. Which of the following symptoms would indicate if this is a RAM issue?

A. POST code beeps

- B. Distended capacitors
- C. Continuous reboots