



Pass4IT

Salesforce
B2C-Commerce-Developer

QUESTIONS AND ANSWERS

FREE VERSION

(LIMITED CONTENT)

Thank you for downloading our reliable exam questions
for more exams you can visit:

<https://www.pass4it.com/all-vendors>

Exam Code: B2C-Commerce-Developer

Exam Name: Salesforce Certified B2C Commerce Developer

Certification Provider: Salesforce

Related Certification: Salesforce Developer

QUESTION: 1

A Digital Developer has been given a requirement to add fault tolerance to an existing web service integration that uses Service Framework. Administrators at Universal Containers need to be able to configure the timeout and rate limiting.

Which approach should the Developer use to implement the requirement?

- A. Implement a `serviceUnavaiiableException` exception handler to execute fallback code.
- B. Use the `setTimeout` method to execute fallback code if the request has NOT completed.
- C. Create a site preference to store timeout settings and implement an `IOException` handler to execute fallback code.
- D. Implement a condition that checks to see if the response was empty and execute fallback code if true.

Answer(s): A

QUESTION: 2

A Digital Developer wants to selectively retrieve products and process them from an (Phone. Which action should the Developer take, given that JavaScript controllers CANNOT be used?

- A. Create a webservice to retrieve products.
- B. Use import/export in Business Manager.
- C. Use WebDAV Client to retrieve products.
- D. Use OCAPI and invoke it in native language.

Answer(s): A

QUESTION: 3

A Digital Developer added a file named MyBusinessController.js in the cartridge named app_project. The project design calls for this new file to override MyBusinessControiier.3s in claient_project. The client_project cartridge contains other necessary functionality. Additional functionality is also included in the storefront_core and storefront_controliers cartridges.

Which cartridge path meets the project requirements?

- A. app_project:client_project:storefront_controllers:storefront_core
- B. client_project:app_project:storefront_controllers:storefront_core
- C. storefront_core:storefront_controllers:client_project:app_project
- D. app_project:storefront_controllers:storefront_core

Answer(s): A

QUESTION: 4

Which code sample is required to use a custom tag provided in SiteGenesis in an ISML template?

- A. <isinclude url="{URLUtils.url("CustomTag-Start")}>
- B. <isscript>dw.util.CustomTagMgr.createCustomTag("mytag"); <isscript>
- C. <isinclude template="util/modules">