



Pass4IT

CompTIA

Xk0-005

QUESTIONS AND ANSWERS

FREE VERSION

(LIMITED CONTENT)

Thank you for downloading our reliable exam questions
for more exams you can visit:

<https://www.pass4it.com/all-vendors>

Dumps Questions Xk0-005

Exam Name: CompTIA Linux+

Certification Provider: CompTIA

Exam: CompTIA Linux+

Question #1

Which of the following would be the BEST solution for a systems administrator to access the graphical user environment of a Linux machine remotely?

- A. VNC
- B. KDE
- C. X11
- D. RPC

Correct Answer: A

Reference:

<https://www.sfu.ca/computing/about/support/tips/remote-to-linux-with-gui.html>

Question #2

A technical support engineer receives a ticket from a user who is trying to create a 1KB file in the /tmp directory and is getting the following error No space left on device. The support engineer checks the /tmp directory, and it has 20GB of free space.

Which of the following BEST describes a possible cause for this error?

- A. The /tmp directory is not mounted.
- B. The filesystem is formatted with a 4MB block size.
- C. the filesystem ran out of inodes.
- D. The /tmp directory has been set with an immutable attribute.

Correct Answer: C

Reference:

<https://www.maketecheasier.com/fix-linux-no-space-left-on-device-error/>

Question #3

Which of the following is the BEST reason for not storing database files in the /var directory?

- A. The /var filesystem is not fast enough for database files.
- B. The number of files in /var is limited by the available inodes.
- C. Files in /var do not have strict file permissions.
- D. If log files fill up /var, it might corrupt the database.

Correct Answer: D

Question #4


SIMULATION -

A junior system administrator had trouble installing and running an Apache web server on a Linux server. You have been tasked with installing the Apache web server on the Linux server and resolving the issue that prevented the junior administrator from running Apache.

INSTRUCTIONS -

Install Apache and start the service. Verify that the Apache service is running with the defaults. Typing "help" in the terminal will show a list of relevant commands.

CentOS Command Prompt -

A screenshot of a terminal window with a black background and white text. The text shows the root prompt for a CentOS 7 system: [root@centos7]#. The prompt is located in the top-left corner of the terminal area.

```
[root@centos7]#
```

Correct Answer: See explanation below

```
[root@tecmint ~]#
[root@tecmint ~]# yum install httpd
Loaded plugins: fastestmirror, refresh-packagekit
Setting up Install Process
Loading mirror speeds from cached hostfile
 * base: centos.excellmedia.net
 * epel: epel.scopesky.iq
 * extras: centos.excellmedia.net
 * updates: centos-hn.viettelidc.com.vn
Resolving Dependencies
There are unfinished transactions remaining. You might consider running yum-comp
lete-transaction first to finish them.
-
[root@tecmint ~]#
[root@tecmint ~]# systemctl start httpd
[root@tecmint ~]#
[root@tecmint ~]# systemctl enable httpd
Created symlink from /etc/systemd/system/multi-user.target.wants/httpd.service to /usr/lib/systemd/system/ht
[root@tecmint ~]#
[root@tecmint ~]# systemctl status httpd
● httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; vendor preset: disabled)
   Active: active (running) since Tue 2017-06-27 06:51:35 EDT; 14s ago
     Docs: man:httpd(8)
           man:apachectl(8)
  Main PID: 17981 (httpd)
    Status: "Total requests: 0; Current requests/sec: 0; Current traffic:  0 B/sec"
    CGroup: /system.slice/httpd.service
            └─17981 /usr/sbin/httpd -DFOREGROUND
              └─17982 /usr/sbin/httpd -DFOREGROUND
                └─17983 /usr/sbin/httpd -DFOREGROUND
                  └─17984 /usr/sbin/httpd -DFOREGROUND
                    └─17985 /usr/sbin/httpd -DFOREGROUND
                      └─17986 /usr/sbin/httpd -DFOREGROUND

Jun 27 06:51:35 tecmint systemd[1]: Starting The Apache HTTP Server...
Jun 27 06:51:35 tecmint httpd[17981]: AH00558: httpd: Could not reliably determine the server's fully qualif
Jun 27 06:51:35 tecmint systemd[1]: Started The Apache HTTP Server.
[root@tecmint ~]# █
```

Question #5

DRAG DROP -

The lead Linux has added a disk, /dev/sdd, to a VM that is running out of disk space. Place the following steps in the correct order from first (1) to last (4) to add the disk to the existing LVM.

Select and Place:

1

2

3

4

```
lvextend -L +10GB /dev/mapper/vgdata-data
```

```
pvcreate /dev/sdd
```

```
resize2fs /dev/mapper/vgdata-data
```

```
vgextend vgdata /dev/sdd
```

Correct

Answer:

1 `pvcreate /dev/sdd`

2 `vgextend vgdata /dev/sdd`

3 `lvextend -L +10GB
/dev/mapper/vgdata-data`

4 `resize2fs /dev/mapper/vgdata-
data`

```
lvextend -L +10GB  
/dev/mapper/vgdata-data
```

```
pvcreate /dev/sdd
```

```
resize2fs /dev/mapper/vgdata-  
data
```

```
vgextend vgdata /dev/sdd
```

Reference:

<https://www.rootusers.com/how-to-increase-the-size-of-a-linux-lvm-by-expanding-the-virtual-machine-disk/>